An Overview of Common Oculoplastic Eyelid Problems

Mr David Cheung Consultant Ophthalmologist and Oculoplastic Surgeon www.mrdavidcheung.com david.cheung@nhs.net

What is Oculoplastics?

- Eyelid
- Lacrimal
- Orbital







Training

Training

• Most General Ophthalmologists first

Training

- Most General Ophthalmologists first
- Rarely general plastic surgery first
- Then subspecialty fellowship training in oculoplastics
 - Eyelid/ Adnexal
 - Lacrimal
 - +/- Orbital

Training

- Most General Ophthalmologists first
- Rarely general plastic surgery first

Training

- Most General Ophthalmologists first
- Rarely general plastic surgery first
- Then subspecialty fellowship training in oculoplastics
 - Eyelid/ Adnexal
 - Lacrimal
 - +/- Orbital
- 15 Fellowships in UK. 4 Recognised for Orbital Training

Background

Background

• 7 years as general ophthalmologist

Background

- 7 years as general ophthalmologist
- 3 years of Adnexal, Lacrimal and Orbital Fellowships in Leicester, Birmingham and Moorfields

Background

- 7 years as general ophthalmologist
- 3 years of Adnexal, Lacrimal and Orbital Fellowships in Leicester, Birmingham and Moorfields
- Consultant since July 2005

Background

- 7 years as general ophthalmologist
- 3 years of Adnexal, Lacrimal and Orbital Fellowships in Leicester, Birmingham and Moorfields
- Consultant since July 2005

Birmingham Midland Eye Centre

Background

- 7 years as general ophthalmologist
- 3 years of Adnexal, Lacrimal and Orbital Fellowships in Leicester, Birmingham and Moorfields
- Consultant since July 2005

Birmingham Midland Eye Centre Sandwell General Hospital Russells Hall Hospital

Background

- 7 years as general ophthalmologist
- 3 years of Adnexal, Lacrimal and Orbital Fellowships in Leicester, Birmingham and Moorfields
- Consultant since July 2005

Birmingham Midland Eye Centre Sandwell General Hospital

Background

- 7 years as general ophthalmologist
- 3 years of Adnexal, Lacrimal and Orbital Fellowships in Leicester, Birmingham and Moorfields
- Consultant since July 2005

Birmingham Midland Eye Centre Sandwell General Hospital Russells Hall Hospital

Background

- 7 years as general ophthalmologist
- 3 years of Adnexal, Lacrimal and Orbital Fellowships in Leicester, Birmingham and Moorfields
- Consultant since July 2005

Birmingham Midland Eye Centre Sandwell General Hospital Russells Hall Hospital

West Midlands Hospital, Halesowen

Workload


Background

- 7 years as general ophthalmologist
- 3 years of Adnexal, Lacrimal and Orbital Fellowships in Leicester, Birmingham and Moorfields
- Consultant since July 2005


Birmingham Midland Eye Centre Sandwell General Hospital Russells Hall Hospital

West Midlands Hospital, Halesowen Priory Hospital, Birmingham

Workload



Workload



Common Oculoplastic Eyelid Problems

Common Oculoplastic Eyelid Problems

• Lumps, Bumps and Cancers

Common Oculoplastic Eyelid Problems

- Lumps, Bumps and Cancers
- Eyelid Malpositions- entropion/ ectropion

Common Oculoplastic Eyelid Problems

- Lumps, Bumps and Cancers
- Eyelid Malpositions- entropion/ ectropion
- Ptosis & Dermatochalasis

Learning Objectives

Basic overview of basic oculoplastic lid surgery

Learning Objectives

Learning Objectives

- Basic overview of basic oculoplastic lid surgery
- Basic eyelid lesion recognition- benign vs malignant

Learning Objectives

- Basic overview of basic oculoplastic lid surgery
- Basic eyelid lesion recognition- benign vs malignant
- Principles of eyelid reconstruction

Learning Objectives

- Basic overview of basic oculoplastic lid surgery
- Basic eyelid lesion recognition- benign vs malignant
- Principles of eyelid reconstruction
- Mechanisms of eyelid malposition and surgery
- Dermatochalasis management

Learning Objectives

- Basic overview of basic oculoplastic lid surgery
- Basic eyelid lesion recognition- benign vs malignant
- Principles of eyelid reconstruction
- Mechanisms of eyelid malposition and surgery


Learning Objectives

- Basic overview of basic oculoplastic lid surgery
- Basic eyelid lesion recognition- benign vs malignant
- Principles of eyelid reconstruction
- Mechanisms of eyelid malposition and surgery
- Dermatochalasis management
- Mechanisms of ptosis and surgery


Benign Eyelid Lesions

Adnexal Cysts

• Various glands within eyelid




Adnexal Cysts




Adnexal Cysts

- Various glands within eyelid
- Oil Producing (meibomian/sebaceous) or Fluid Producing glands (sweat, apocrine, conjunctival mucus)




Adnexal Cysts

- Various glands within eyelid
- Oil Producing (meibomian/sebaceous) or Fluid Producing glands (sweat, apocrine, conjunctival mucus)
- Skin or tarsal plate




Adnexal Cysts

- Various glands within eyelid
- Oil Producing (meibomian/sebaceous) or Fluid Producing glands (sweat, apocrine, conjunctival mucus)
- Skin or tarsal plate
- Constant movement and friction- high cellular turnover- constant cellular debris- blockage




Adnexal Cysts




Adnexal Cysts

• Chalazion- chronic blockage of the oil glands in tarsal plate




Adnexal Cysts

- Chalazion- chronic blockage of the oil glands in tarsal plate
- Sebaceous Cyst & Cysts Of Zeiss Chronic blockages of the oil producing glands of skin



Adnexal Cysts

- Chalazion- chronic blockage of the oil glands in tarsal plate
- Sebaceous Cyst & Cysts Of Zeiss Chronic blockages of the oil producing glands of skin
- Hydrocystoma/Cyst of Moll- Chronic Blockage of a sweat gland





Chalazia

Chronic blockage of the tarsal plate meibomian gland





Cyst of Zeiss

Blockage of oil producing gland of thin pretarsal skin



Sebaceous Cysts

Chronic blockage of oil gland of thicker skin



Sebaceous Cysts

Chronic blockage of oil gland of thicker skin

Sebaceous Cysts



Sebaceous Cysts



Hydrocystoma/ Cyst of Moll

Blockage of specialised sweat gland
Often confused for skin cancers







Xanthelasma

50 %Hypercholesterolaemia

Xanthelasma

50 %Hypercholesterolaemia

Argon Laser

Excisional Surgery






Xanthelasma Treatment



Xanthelasma or Sebaceous Cysts?




Sebaceous Cysts or Xanthelasma?



Skin Tags Papilloma

Skin Tags Papilloma





Skin Tags Papilloma








BCC

• most common (90%)



BCC

- most common (90%)
- M:F 2:3



BCC

- most common (90%)
- M:F 2:3
- Lifetime risk M40%: F 30%




BCC

- most common (90%)
- M:F 2:3
- Lifetime risk M40%: F 30%
- Related to sun exposure and fairness of skin



Distributions



Management of all skin cancers

• Clarify diagnosis (Incisional Biopsy)

Management of all skin cancers

Management of all skin cancers

- Clarify diagnosis (Incisional Biopsy)
- Treat i.e. surgery & others (DXT, cryotherapy, PDT, cautery, curettage)

Management of all skin cancers

- Clarify diagnosis (Incisional Biopsy)
- Treat i.e. surgery & others (DXT, cryotherapy, PDT, cautery, curettage)
- Surgery best:

Management of all skin cancers

- Clarify diagnosis (Incisional Biopsy)
- Treat i.e. surgery & others (DXT, cryotherapy, PDT, cautery, curettage)
- Surgery best:
 - Best cure rates
 - Histological confirmation of clearance


Management of all skin cancers

- Clarify diagnosis (Incisional Biopsy)
- Treat i.e. surgery & others (DXT, cryotherapy, PDT, cautery, curettage)
- Surgery best:
 - Best cure rates

Management of all skin cancers


- Clarify diagnosis (Incisional Biopsy)
- Treat i.e. surgery & others (DXT, cryotherapy, PDT, cautery, curettage)
- Surgery best:
 - Best cure rates
 - Histological confirmation of clearance
 - Highest burden on service

Surgery for skin cancers




Surgery for skin cancers

• Principles:



Surgery for skin cancers

- Principles:
 - Excise




Surgery for skin cancers

- Principles:
 - Excise
 - Reconstruct



DUDLEY/ WEST BROM STOICISM = LONG OPERATIONS



78 yo. Lesion Left lateral canthal lesion 3 years. Requesting referral because left spectacle lens 'dirty' constantly

DUDLEY/ WEST BROM STOICISM = LONG OPERATIONS






78 yo. Lesion Left lateral canthal lesion 3 years. Requesting referral because left spectacle lens 'dirty' constantly

DUDLEY/ WEST BROM STOICISM = LONG OPERATIONS





78 yo. Lesion Left lateral canthal lesion 3 years. Requesting referral because left spectacle lens 'dirty' constantly

DUDLEY/ WEST BROM STOICISM = LONG OPERATIONS









78 yo. Lesion Left lateral canthal lesion 3 years. Requesting referral because left spectacle lens 'dirty' constantly


Principles of Lid Reconstruction


Relevant Anatomy



Canthal Tendons







Lid Movement-Depressors

Orbicularis- Closes

Lid Reconstruction Examples


Vascular Surgery- Plumbing

Lid Reconstruction Examples

Lid Reconstruction Examples

Vascular Surgery- Plumbing

Lid Reconstruction Examples Lid Reconstruction Examples Vascular Surgery- Plumbing Vascular Surgery- Plumbing Orthopaedics- Carpentry Orthopaedics- Carpentry Lid Reconstruction Examples Grafts & Flaps Vascular Surgery- Plumbing Warning Orthopaedics- Carpentry Oculoplastics- Complex Reupholstery



BCC

Simple Skin Graft







BCC

Simple Skin Graft



Tenzel Semicircular Flap



Lateral Lower Lid BCC

Tenzel Semicircular Flap



Lateral Lower Lid BCC

Tenzel Semicircular Flap




Lateral Lower Lid BCC

Tenzel Semicircular Flap



Lateral Lower Lid BCC

Tenzel Semicircular Flap



Lower Lid Reconstruction Small Defects

Tenzel Flap

Upper Lid BCC

Bucket Handle Transposition Flap, Skin Graft and Tarsus Graft



Upper Lid BCC

Bucket Handle Transposition Flap, Skin Graft and Tarsus Graft



Upper Lid BCC

Flap, Skin Graft and Tarsus Graft



Upper Lid BCC

Bucket Handle Transposition Flap, Skin Graft and Tarsus Graft



Upper Lid BCC

Bucket Handle Transposition Flap, Skin Graft and Tarsus Graft



Upper Lid BCC

Bucket Handle Transposition Flap, Skin Graft and Tarsus Graft



Upper Lid BCC

Bucket Handle Transposition Flap, Skin Graft and Tarsus Graft



Upper Lid BCC

Bucket Handle Transposition Flap, Skin Graft and Tarsus Graft



Upper Lid BCC

Bucket Handle Transposition Flap, Skin Graft and Tarsus Graft



Upper Lid BCC

Bucket Handle Transposition Flap, Skin Graft and Tarsus Graft



Upper Lid BCC

Bucket Handle Transposition Flap, Skin Graft and Tarsus Graft





Typical BCC Patient

• Lower lid lesion



Typical BCC Patient

- Lower lid lesion
- 2/5 lid width



Typical BCC Patient

- Lower lid lesion
- 2/5 lid width



Typical BCC Patient

- Lower lid lesion
- 2/5 lid width



Typical BCC Patient

- Lower lid lesion
- 2/5 lid width



Typical BCC Patient

- Lower lid lesion
- 2/5 lid width



Typical BCC Patient

- Lower lid lesion
- 2/5 lid width



Eyelid Problems & Surgery


- Lumps, Bumps and Cancers
- Eyelid Malpositions- entropion & ectropion
- Ptosis & Dermatochalasis





Entropion and Ectropion

Involutional Entropion/Ectropion Why does it happen?




Involutional Entropion/Ectropion Why does it happen?

Lower Lid Laxity & Age related enophthalmos (orbital fat atrophy)

Eyelid can therefore twist and flip e.g. 'loosening of a belt effect'

Anterior/ Posterior Lamella Dissociation due to weakening of fascial attachments between muscle and tarsal plate


- =Orbicularis overrides the tarsal plate
- =Eyelid twists inwards
- = Entropion



Involutional Entropion/Ectropion Why does it happen?

Lower Lid Laxity & Age related enophthalmos (orbital fat atrophy)

Eyelid can therefore twist and flip e.g. 'loosening of a belt effect'



Involutional Entropion/Ectropion Why does it happen?

Lower Lid Laxity & Age related enophthalmos (orbital fat atrophy)

Eyelid can therefore twist and flip e.g. 'loosening of a belt effect'

Anterior/ Posterior Lamella Dissociation due to weakening of fascial attachments between muscle and tarsal plate

=Orbicularis overrides the tarsal plate

=Eyelid twists inwards

= Entropion


Age related descent of midface

=Pulls down on lower lid

=Ectropion



Lower Lid Laxity= Lid instability



Entropion

Lower Lid Laxity/Enophthalmos Anterior/Posterior Lamellar Dissociation Inferior Retractor Dehiscence



Lower Lid Laxity= Lid instability

Entropion Why Important?

- Painful
- Corneal Erosions
- Secondary Infection



Microbial Keratitis

RLL latent entropion



Ectropion

Lower Lid Laxity Cheek Descent= anterior lamellar shortage




RLL latent entropion

Ectropion Why Important?

Annoying Watering



Fluorescein Dye Disapperance Test in Right Punctal Ectropion









Entropion/ Ectropion Management

Entropion/ Ectropion Management

Surgery

Entropion/ Ectropion Management

- Surgery
- Correct all anatomical problems

Entropion/ Ectropion Management


- Surgery
- Correct all anatomical problems
 - Correct horizontal laxity to stabilise the lid

Entropion/ Ectropion Management

- Surgery
- Correct all anatomical problems
 - Correct horizontal laxity to stabilise the lid
 - Correct rotational forces on eyelid

Entropion/ Ectropion Management

- Surgery
- Correct all anatomical problems
 - Correct horizontal laxity to stabilise the lid
 - Correct rotational forces on eyelid
 - Correct any vertical tissue shortage



Entropion Surgery


Everting Sutures- correct rotation Lower lid tightening



Entropion Surgery Everting Sutures- correct rotation Lower lid tightening



Entropion Surgery Everting Sutures- correct rotation Lower lid tightening






Entropion Surgery Everting Sutures- correct rotation Lower lid tightening



Entropion Surgery


Everting Sutures- correct rotation Lower lid tightening



Entropion Surgery

Everting Sutures- correct rotation Lower lid tightening









Clcatricial Ectropion- LTS and Fricke Flap







Clcatricial Ectropion- LTS and Fricke Flap





Eczema/ Dermatitis related ectropion treated with skin grafting



Eczema/ Dermatitis related ectropion treated with skin grafting







Eczema/ Dermatitis related ectropion treated with skin grafting

Eyelid Problems & Surgery

- Lumps, Bumps and Cancers
- Eyelid Malpositions- entropion & ectropion
- Ptosis & Dermatochalasis

Blepharoplasty= refashioning of eyelids







Cosmetic Simple Blepharoplasties- private practice only



Cosmetic Simple Blepharoplasties- private practice only

Functional Blepharoplasties

Available on NHS

Functional Blepharoplasties

Functional Blepharoplasties


- Available on NHS
- Indications Include
 - Compromised Visual Field
 - Lash Ptosis
 - Rehabilitation e.g. Thyroid eye disease



Functional NHS Blepharoplasty

Lash Ptosis or Compromised Visual Field

Customised 'Oculoplastic' Blepharoplasty





Functional NHS Blepharoplasty

Rehabilitation Thyroid Eye Disease Orbital Fat prolapse and eyelid retraction

Customised 'Oculoplastic' Blepharoplasty

• Simple Skin/Muscle Excision

Customised 'Oculoplastic' Blepharoplasty

- Simple Skin/Muscle Excision
- Skin Crease reformation

Customised 'Oculoplastic' Blepharoplasty

- Simple Skin/Muscle Excision
- Skin Crease reformation
- Orbital Fat Debulking
- Internal Brow Lifting

Customised 'Oculoplastic' Blepharoplasty

- Simple Skin/Muscle Excision
- Skin Crease reformation
- Orbital Fat Debulking

Customised 'Oculoplastic' Blepharoplasty

- Simple Skin/Muscle Excision
- Skin Crease reformation
- Orbital Fat Debulking
- Internal Brow Lifting
- Simultaneous Levator Muscle Surgery (Lid Lowering or elevation)

Customised 'Oculoplastic' Blepharoplasty


- Simple Skin/Muscle Excision
- Skin Crease reformation
- Orbital Fat Debulking
- Internal Brow Lifting
- Simultaneous Levator Muscle Surgery (Lid Lowering or elevation)
- Lacrimal Gland Resuspension

Ptosis

Customised 'Oculoplastic' Blepharoplasty


- Simple Skin/Muscle Excision
- Skin Crease reformation
- Orbital Fat Debulking
- Internal Brow Lifting
- Simultaneous Levator Muscle Surgery (Lid Lowering or elevation)
- Lacrimal Gland Resuspension
- Midface Lifting

Ptosis Classical Classification



Ptosis Classical Classification

- Aponeurosis Dehiscence
- Dystrophic Muscle (Congenital)
- Mechanical
- Myopathic
- Neurogenic
- Neuromuscular




Ptosis Classical Classification

- Aponeurosis Dehiscence
- Dystrophic Muscle (Congenital)
- Mechanical
- Myopathic
- Neurogenic
- Neuromuscular

Ptosis Practical Classification


- Aponeurosis Dehiscence
- Everything Else




Ptosis Classical Classification

- Aponeurosis Dehiscence
- Dystrophic Muscle (Congenital)
- Mechanical
- Myopathic
- Neurogenic
- Neuromuscular

Ptosis Practical Classification






3 Elevators


Muller's Muscle-Sympathetic System


Frontalis Muscle- Seventh Nerve




1 Depressor/ Closure

Orbicularis Sphincter Ring Muscle Facial Nerve







GP Referral: "Ptosis"

Previous medial canthal BCC by SWBH plastics 3 years previously



GP Referral : "Ptosis"

Previous medial canthal BCC by SWBH plastics 3 years previously



GP Referral: "Ptosis"

Previous medial canthal BCC by SWBH plastics 3 years previously

Told incomplete excision





BCC Orbital Invasion. Medial Rectus Tethering +/- ethmoidal invasion





BCC Orbital Invasion. Medial Rectus Tethering +/- ethmoidal invasion



BCC Orbital Invasion. Medial Rectus Tethering +/- ethmoidal invasion

Discontinuous Double Crease- Aponeurosis Problem



Aponeurotic

Commonest
Often Age Related or CL related
Good Levator Function
High Skin Crease

Aponeurotic Dehiscence

Aponeurotic

Commonest
Often Age Related or CL related
Good Levator Function
High Skin Crease



Aponeurotic

Commonest
Often Age Related or CL related
Good Levator Function
High Skin Crease




Aponeurotic

Commonest
Often Age Related or CL related
Good Levator Function
High Skin Crease



Aponeurotic

Commonest
Often Age Related or CL related
Good Levator Function
High Skin Crease



Aponeurotic

Commonest
Often Age Related or CL related
Good Levator Function
High Skin Crease



Aponeurotic

Commonest Often Age Related or CL related Good Levator Function High Skin Crease




Neurogenic

Horner's Syndrome Interruption of Sympathetic Ptosis, Miosis, (Anhydrosis)



Aponeurotic


Commonest Often Age Related or CL related Good Levator Function High Skin Crease






Painful Horner's Syndrome


35 year old Headache, Ptosis, Miosis BP 245/140




Angiogram

Treated with embolisation or stenting














Neuromuscular

Myasthenia Gravis Diplopia, Ptosis Fatigueability, Staccato lids Ice Test

Ptosis Practical Management

- Measure Levator Function (upper lid excursion)
- If good levator functionconventional ptosis surgery
- If poor levator functionfrontalis suspension









Myasthenia Gravis Diplopia, Ptosis Fatigueability, Staccato lids Ice Test









5mm Ptosis 15mm Levator Function Good Prognosis

Good Prognosis for Surgery





Aponeurotic

Commonest
Often Age Related or CL related
Good Levator Function
High Skin Crease




Left Congenital Ptosis

Dystrophic Muscle Poor Levator Function









Aponeurotic

Commonest
Often Age Related or CL related
Lid Excursion Normal
Good Levator Function
High Skin Crease

Congenital

Dystrophic Muscle
Reasonable Levator Function
Marcus Jaw Wink
Levator Extirpation and Frontalis
Suspension with Fascia Lata



Congenital

Dystrophic Muscle
Reasonable Levator Function
Marcus Jaw Wink
Levator Extirpation and Frontalis
Suspension with Fascia Lata



Congenital

Dystrophic Muscle
Reasonable Levator Function
Marcus Jaw Wink
Levator Extirpation and Frontalis
Suspension with Fascia Lata



Congenital

Dystrophic Muscle
Reasonable Levator Function
Marcus Jaw Wink
Levator Extirpation and Frontalis
Suspension with Fascia Lata




Congenital

Dystrophic Muscle
Reasonable Levator Function
Marcus Jaw Wink
Levator Extirpation and Frontalis
Suspension with Fascia Lata



Muscular Dystrophy Levator Function 2mm 5mm Ptosis Frontalis Suspension







Myogenic Ptosis Poor Levator Function Muscular Dystrophy Levator Function 2mm 5mm Ptosis Frontalis Suspension



Myogenic Ptosis Poor Levator Function Muscular Dystrophy Levator Function 2mm 5mm Ptosis Frontalis Suspension









Myogenic Ptosis Poor Levator Function

Muscular Dystrophy Levator Function 2mm 5mm Ptosis Frontalis Suspension









Myogenic Ptosis Poor Levator Function

Muscular Dystrophy Levator Function 2mm 5mm Ptosis Frontalis Suspension

Votes for next lecture:

- Web: www.mrdavidcheung.com
- Email: david.cheung@nhs.net

Summary

- Basic overview of basic oculoplastic lid surgery
 - Eyelid lesion recognition
 - Principles of eyelid reconstruction
 - Mechanisms of Eyelid malposition and surgery
 - Dermatochalasis Management
 - Mechanisms of Ptosis and surgery

Votes for next lecture:

• Thyroid Eye Disease

• Web: www.mrdavidcheung.com

• Email: david.cheung@nhs.net

Votes for next lecture:

- Thyroid Eye Disease
- The Watering Eye

• Web: www.mrdavidcheung.com

• Email: david.cheung@nhs.net

Votes for next lecture:

- Thyroid Eye Disease
- The Watering Eye
- Facial Nerve Palsy & Involuntary Facial Movements
- Cosmetic Oculoplastic/Oculofacial Surgery
 - Web: www.mrdavidcheung.com
 - Email: david.cheung@nhs.net

Votes for next lecture:

- Thyroid Eye Disease
- The Watering Eye
- Facial Nerve Palsy & Involuntary Facial Movements

• Web: www.mrdavidcheung.com

• Email: david.cheung@nhs.net